



ADVANCED PLUG-N-PLAY HEAD UNIT FOR '14-'23 HARLEY-DAVIDSON® TOURING MOTORCYCLES W/ WIRELESS APPLE CARPLAY® & WIRELESS ANDROID AUTO®, iDATALINK® MAESTRO®, iGO® GPS NAVIGATION, SIRUSXM® READY, WIRELESS HEADSET AUDIO, & RALLY MODE™ MUSIC BROADCASTING





Wireless Apple CarPlay® for Apple iPhone with Siri

# **android**auto

Wireless Android Auto® for Android w/ Google Assistant



iDataLink® Maestro® RR & RR2 Compatible



GPS Navigation Powered by NNG iGo®



SiriusXM Satellite Radio Ready



Wireless Headset Integration



Rally Mode™ Wireless Music Broadcasting



5V No-Clip RCA Outputs



2Ω Stable 4-Channel Class D Amplifier



15Band Equalier & 12dB Crossovers



8" Wide QLCD w/ 1000NIT Brightness



IPx5 Optically Bonded Waterproof Faceplate



Wire Harness Included



#### Wireless Apple CarPlay & Wireless Android Auto

Keep your iPhone or Android phone safely stashed away in clothing pocket or saddlebag. Pair enabled phones to V2 for a truly cordless & tangle-free ride with wireless Apple CarPlay and Android Auto.



#### iDataLink Maestro Compatible

iDataLink Maestro RR & RR2 connect V2 with the OEM ECM to display engine sensor & diagnostic data available on the motorcycle's CAN network. Additionally, OEM audio systems can be retained & custom handlebar controls can be programmed for a unique rider experience.



#### Wireless Headset Integration

Pair OEM or aftermarket Bluetooth enabled headsets or earbuds to V2's wireless headset interface. Each rider can choose to hear only GPS navigation system commands, only music, or both.

#### **Additional Details:**

<u>Upgrade Head Unit For Touring Motorcycles</u>, Exact Fit In OEM Location Uses OEM Mounting Hardware, No Brackets Or Trim Rings Required Uses OEM USB® & Integrated Radio Antenna, No Adapters Required IPx5 Water-Resistant Faceplate, Safe for All Weather & Washing 8" High-Definition Widescreen LCD w/ Ultra Bright 1000NIT Backlight Wireless Apple Carplay® & Wireless Android Auto® w/ Voice Assistants Compatible w/ iDataLink® Maestro® RR & RR2 CANBUS Integration Module Displays Up To 10 Digital Gauges, Choose From 50+ Available Pop-Up Warnings For Oil Pressure, Fuel Level, Engine Temp, & More Customizable Programming Of Handlebar Thumb Controls Activates Boom 1, Boom 2, & HD Audio OEM Amplifiers Wire Harness Ready For iDataLink® Maestro® RR® & RR2® NNG iGO Primo® GPS Navigation, USA & Canada Map & P.O.I. Included Map & P.O.I. Updates Available From Naviextras.com Yearly

Uses OEM GPS Antenna If Equipped, Aftermarket Antenna Included



#### **GPS Navigation Powered by NNG iGo**

A journey may take you through cellular dead zones, making phone navigation apps useless. iGo by NNG, an embedded offline map system, includes maps and POI of USA & Canada; wherever a journey takes you.



#### SiriusXM® Satellite Radio Ready

SiriusXM is where moments happen. The widest, deepest variety of music, ad-free. More games, more sports, more coverage than anywhere. The most extensive entertainment, complete news coverage and every kind of comedy. Listen on your bike, on your phone, online, and at home.



#### Rally Mode Music Broadcasting

Become the DJ of your ride group with Rally Mode music broadcasting. Rally Mode enabled head units & accessories paired together turn any ride or pit-stop into a traveling rock concert.

Wireless Headset Interface for OEM & Aftermarket Headsets & Headphones Pair Up To Two Headsets Or Headphones For Rider & Passenger Select To Hear Only GPS Navigation Commands, Only Music, Or Both SiriusXM Ready® (SXV300 vehicle connect tuner required) Rally Mode™ Music Sharing, Broadcast Your Playlists To Group Riders Pair To Riders w/ Rally Mode Equipped Head Units & Accessories Unlimited Users Can Pair To A Principal Broadcaster's Stream Handlebar Cursor To Scroll & Select Playback Controls, Settings, etc. Bluetooth® Wireless Connectivity for Audio Playback & Control Video Camera RCA Input w/ 12v Trigger & On-Screen Shortcut 15-band Digital Equalizer w/ Preset & Custom Settings Built-in 4-Channel Amplifier Built-in, Class A/B & 2-Ohm Stable 4-Volt RCA Audio Outputs for Front, Rear, & Subwoofer Amplifiers High Pass Crossover Separate for Front & Rear Speaker/RCA Outputs Low Pass & Subsonic Crossover for Subwoofer RCA Output

### **WHD.14**

HEAD UNIT FOR '14-'23 HARLEY-DAVIDSON® TOURING MOTORCYCLES W/ WIRELESS APPLE CARPLAY®, WIRELESS ANDROID AUTO®, & 7" LCD

















**android**auto



Installs into OEM Location, Maintains Original Styling & Appearance Uses OEM Mounting Hardware, No Brackets or Trim Panel Required Uses OEM USB® & AM/FM Radio Antenna, No Adapters Required Plug-N-Play Wire Harness w/ Handlebar Control Module Included IPx5 Water-Resistant Faceplate, Safe for Any Weather & Washing 7" Optically Bonded LCD w/ Capacitive Touch Screen & RGB Keys Wireless Apple® CarPlay™ w/Siri Eyes Free for Apple iPhone® Wireless Android Auto® w/ Google Assistant for Android Phones Bluetooth® Wireless Connectivity for Audio Playback & Control

External Microphone Included, w/ Wind Muffler & 2-sided Adhesive 4-Channel Amplifier Built-in, Class A/B & 2-Ohm Stable 5-Volt RCA Audio Outputs for Front, Rear, & Subwoofer Amplifiers 13-Band Digital Equalizer with Preset & Custom Settings Built-in Active 12dB Crossovers for Front, Rear, & Subwoofer RCA Outputs RCA Video Input w/ 12V Power Trigger for Rear View Camera Customizable Wallpaper / Background (.jpg & .jpeg via USB)

## WHD.UNLOC

UPGRADE KIT FOR WHD.14 INCLUDES IDATALINK MAESTRO RR2, WIRE HARNESS, AND SOFTWARE UPDATE TO UNLOCK OEM INTEGRATION.



<u>iDataLink® Maestro® RR2</u> CANBUS Integration Module Included <u>Displays Up To 10 Digital Gauges</u>, 40+ Available to Choose From <u>Pop-up Warnings</u> for Oil Pressure, Fuel Level, Engine Temp, & More <u>Customizable Programming</u> of Handlebar Thumb Controls <u>Retains Boom 1 & Boom 2 & HD Audio</u> OEM Audio Systems <u>Pre-wired Wire Harness</u> Ready for iDataLink® Maestro® RR2®



### WHD.SG

HEAD UNIT FOR '98-'13 HARLEY-DAVIDSON®
STREET GLIDE®, W/ WIRELESS APPLE CARPLAY®,
WIRELESS ANDROID AUTO®, & SIRIUSXM®

Retains OEM Mounting Hardware, No Brackets or Trim Panel Required Retains OEM AM/FM Radio Antenna, No Antenna Adapters Required USB® Cable Included, 21" Long to Install on Either Side of Fairing Handlebar Controls Built-in, No Handlebar Control Module Required IPx5 Water-Resistant Faceplate, Safe for All Weather & Washing 7" High-Def LCD w/ Capacitive Touch Screen & RGB Illumination Apple® CarPlay® w/ Siri® & Android Auto® w/ Google Assistant® SiriusXM® Ready® (separate vehicle connect tuner required) Bluetooth® Wireless Connectivity for Audio Playback & Control Video Camera RCA Input w/ 12v Trigger & On-Screen Shortcut 4-Channel Amplifier Built-in, Class A/B & 2-Ohm Stable 5-Volt RCA Audio Outputs for Front, Rear, & Subwoofer Amplifiers 13-band Digital Equalizer w/ Preset & Custom Settings Built-in High Pass Crossover for Front/Rear Speaker & RCA Outputs



















**'98-'13** model

vears

## HDHU.9813RG

HEAD UNIT FOR '98-'13 HARLEY-DAVIDSON® ROAD GLIDE® W/ APPLE CARPLAY®, ANDROID AUTO®, & SIRIUSXM®

Retains OEM Mounting Hardware, No Brackets or Trim Panel Required Retains OEM AM/FM Radio Antenna, No Antenna Adapters Required USB® Cable Included, 21" Long to Install into Either Glove Box Handlebar Controls Built-in, No Handlebar Control Module Required IPx5 Water-Resistant Faceplate, Safe for All Weather & Washing 7" High-Def LCD w/ Capacitive Touch Screen & RGB Illumination Apple® CarPlay® w/ Siri® & Android Auto® w/ Google Assistant® SiriusXM® Ready® (separate vehicle connect tuner required) Bluetooth® Wireless Connectivity for Audio Playback & Control Video Camera RCA Input w/ 12v Trigger & On-Screen Shortcut 4-Channel Amplifier Built-in, Class A/B & 2-Ohm Stable 5-Volt RCA Audio Outputs for Front, Rear, & Subwoofer Amplifiers 13-band Digital Equalizer w/ Preset & Custom Settings Built-in High Pass Crossover for Front/Rear Speaker & RCA Outputs Low Pass & Subsonic Crossover Subwoofer RCA Output




















# **HD VISION**

#### Wireless Rear View Camera System for Select Harley-Davidson® Touring Motorcycles



LED Brake/Turn Indicators Replaces OEM Bulb & Lens on Rear Fender Light Bar LED Brake/Driving Light Replaces OEM Bulb & Lens on Rear Fender (Ultra) Pivoting 140º IP67 Waterproof Camera with Wireless Transmitter Built-in Photo-Sensitive Light Sensor Activates Night Vision Mode for Nighttime Viewing Wireless Receiver with P&A Power Connector & RCA Output Installs in Fairing High-Definition Variations w/ 720P Output for Soundstream V2 Series Head Units Standard Variations for Select Soundstream HDHU & WHD Series Head Units



HDV-Ultra - for HDHU & WHD HDV-UltraV2 - for V2 Series



Wireless Receiver Included

Saddlebag Speaker Installation

Saddlebag Speaker Installation Kit for 2024 Harley-Davidson® Touring Motorcycles HD24.SBS

#### **Product Highlights:**

Installation Kit Fits Most Aftermarket 6"x9" Speakers into 2024 OEM Saddlebag Lids

Cutout Template Aligns to Contours of the OEM Lid as a Guide for Precision Fitment

Gloss Black Powdercoated Metal Grills Mimic Styling of the OEM Option

Gasketed Interior Speaker Adapter Ring Compresses to Contours Under the Lid to Create a Watertight Seal



Saddlebag Speaker Installation Kit for Harley-Davidson® Touring Motorcycles HD14.SBS 2014 - 2023

HD14.SBS 2014 - 2023 HD13.SBS 1998 - 2013

#### **Product Highlights:**

Installation Kit Fits Most Aftermarket 6"x9" Speakers into 2024 OEM Saddlebag Lids

Cutout Template Aligns to Contours of the OEM Lid as a Guide for Precision Fitment

Gloss Black Powder Coated Metal Grills Mimic Styling of the OEM Option

Gasketed Interior Speaker Adapter Ring Compresses to Contours Under the Lid to Create a Watertight Seal

Wire Harness Direct-Connects to PrecisionPower MAA4.400 Amplifier with Waterproof Quick-Disconnects for Easy Saddlebag Removal



# Fairing Speaker Upgrade Kit for '14-'23 & '98-'13 Harley-Davidson® Touring Motorcycles HD14.652 - for '14-'23; 6.5" 2-ohm

**HD14.652** - for '14-'23; 6.5" 2-ohm **HD14.654** - for '14-'23; 6.5" 4-ohm **HD13.522** - for '98-'13; 5.25" 2-ohm

### Product Highlights:

Premium 6.5" Coaxial Motorcycle Speakers (HD14)
Premium 5.25" Coaxial Motorcycle Speakers (HD13)
1.25" Voice Coil & 1" Titanium Dome Tweeter
2-ohm Impedance for Direct Stock Replacement
Neodymium Magnets for Maximum Efficiency
PA66® Fiberglass Reinforced Polyamide Frame
75w RMS Power Handling, 92dB Efficient
6.5" Speaker Mounting Depth: 2.50"
5.25" Speaker Mounting Depth: 2.00"
Road Glide, Street Glide, & Tour Pak Grills Included



High Efficiency Speaker

#### **High-Efficiency Horn-Loaded 2-Way Speakers**

MAS.652HT - 6.5" 2-ohm MAS.692HT - 6"x9" 2-ohm MAS.802HT - 8" 2-ohm

#### Product Highlights:

Manufactured w/ Industrial Grade Materials Optimized for Harsh Environments PA66® Fiberglass Polyamide Frame for Impact Resistance & Thermal Stability Low Mass Neodymium Rare Earth Element Magnets for Maximum Output Polypropylene Coated Paper Cone for Extreme Performance & Water Resistance Titanium Ring Radiator Tweeter Increases Efficiency & High-Frequency Transients Integrated Horn & Phase Plug Improve High-Frequency Dispersion Patterns 1.75" Oxygen Free Copper Voice Coil on Thermally Absorbent Aluminum Former Bi-Amp Input Terminals for Tweeter, Jumper Included for Standard Operation Powder coated Black Metal Grills Included (652HT & 802HT only) Integrated 12dB High-Pass Crossover Protects Tweeter From Harmful Frequencies MAS.652HT: 150w RMS, 300w MAX, 93dB SPL, 100-22kHz Frequency Response MAS.692HT: 200w RMS, 400w MAX, 95dB SPL, 80-22kHz Frequency Response MAS.802HT: 200w RMS, 400w MAX, 95dB SPL, 80-22kHz Frequency Response Mounting Depths: MAS.652HT: 2.75", MAS.692HT: 3.50", MAS.802HT: 4"



# High Efficiency Pro-Audio 6.5" Speaker MAS.652MR

#### **Product Highlights:**

Manufactured w/ Industrial Grade Materials Optimized for Harsh Environments PA66® Fiberglass Polyamide Frame for Impact Resistance & Thermal Stability Low Mass Neodymium Rare Earth Element Magnets for Maximum Output Polypropylene Coated Paper Cone for Extreme Performance & Water Resistance 1.75" Oxygen Free Copper Voice Coil on Thermally Absorbent Aluminum Former Metal Black Powder Coated Speaker Grills Included 150w RMS, 300w MAX, 95dB SPL, 100-12kHz Frequency Response Mounting Depths: 2.75"



**HD14.FHT** 2014 - 2023 **HD13.FHT** 1998 - 2013

#### **Product Highlights:**

Titanium Ring Radiator Tweeter Increases Efficiency & High-Frequency Transients Diecast Aluminum Chassis Molded for Installation in Original Fairing Gauge Hole Accommodates OEM & Aftermarket Gauge Trim Rings (HD.14FHT only)

Low Mass Neodymium Rare Earth Element Magnets for Maximum Output Integrated Horn & Phase Plug Improve High-Frequency Dispersion Patterns Plug-n-Play T-Harness Included for Quick Integration to OEM Speaker Wire Integrated 12dB 4kHz High-Pass Crossover & Overload Protection Circuit Breaker 50w RMS,100w MAX, 105dB SPL, 4kHz-22kHz Frequency Response Field-Serviceable Replacement Diaphragm Available













'98-'13' model years

### **Premium Coaxial Motorcycle Speakers**

**MAS.522** - 5.25" 2-ohm **MAS.652** - 6.5" 2-ohm

**MAS.524** - 5.25" 4-ohm **MAS.654** - 6.5" 4-ohm

MAS.692 - 6"x9" 2-ohm MAS.572 - 5"x7" 2-ohm MAS.694 - 6"x9" 4-ohm



#### Product Highlights:

Manufactured w/ Industrial Grade Materials Optimized for Harsh Environments PA66® Fiberglass Polyamide Frame for Impact Resistance & Thermal Stability External Magnet & Voice Coil Assembly Keeps Heat Outside the Saddlebag (6x9 & 5x7) Integrated Heatsink Fins Air-Cool the Electro-Mechanical Motor Assembly (6x9 & 5x7) Impermeable Polypropylene Cone is Mechanically Rugged & Heat Resistant Co-Molded Low-Density Santoprene Surround Chemically Bonded to Cone Titanium Dome Tweeter Resists Corrosion w/ High Strength-to-Density Ratio Low Mass Neodymium Rare Earth Element Magnets for Maximum Output 1.25" Oxygen Free Copper Voice Coil on Thermally Absorbent Aluminum Former 1" Titanium Wide Dispersion High Output Hemispherical Dome Tweeter 2-ohm for Stock Replacement or 4-ohm for Custom Installation Applications Integrated 6dB High-Pass Crossover Protects Tweeter From Harmful Frequencies 100w RMS, 92dB (1w/1m) SPL Efficiency, 60-22kHz Frequency Response (6x9 & 5x7) 75w RMS, 92dB (1w/1m) SPL Efficiency, 60-22kHz Frequency Response (6x9 & 5.25") Mounting Depths: MAS.52: 2.00", MAS.65: 2.50", MAS.69: 2.25", MAS.57: 2.00"



# Powered Saddlebag Subwoofer Enclosures for Harley-Davidson® Touring Motorcycle Saddlebags

HD14.SBWL 2014 - 2023 Left Saddlebag

HD14.SBWR 2014 - 2023 Right Saddlebag

HD13.SBWL 1998 - 2013 Left Saddlebag

HD13.SBWR 1998 - 2013 Right Saddlebag

#### **Product Highlights:**

ABS Subwoofer Enclosures Fit in Standard or Stretched OEM Saddlebags Gives Storage Space for Riding Gear & Saddlebag Lid Mounted Speakers No Aftermarket Audio Gear Required, Plug-n-Play Wire Harness Included No Saw-Cutting of Saddlebag Structure for Installation, Cordless Drill Only Boundary Loading Down-Firing Subwoofers for Low Frequency Response 300w Class-D Monoblock Subwoofer Amplifier w/ Fault Protection Built-in Accepts High-Level/Speaker-Level or RCA Low Level Audio Input Signal Waterproof Power/Ground & High/Low Level Audio Signal Cables Included Acoustic Transfer Vents w/ Hydrophobic Fabric Keeps Water & Debris Out













Motorcycle Audio Amplifier

## Lower Vented Fairings w/ 6.5" Speakers for Harley-Davidson® Touring Motorcycles

HD14.LVF 2014 - 2023 HD13.LVF 1998 - 2013

#### **Product Highlights:**

Vented Lower Fairing in Gloss Black Made of Industrial Grade ABS Waterproof Quick-Disconnect Plugs for Easy Install & Removal Pre-wired with MAS.654 Premium 4-ohm 6.5" Motorcycle Speakers Plug-N-Play Wire Harness Connects to MAA4.400 4ch. Amplifier Wire Harness can Accommodate Installation to Alternate Amplifier





PecisionPower

98-'13

model

vears

model

Compact 400w Class D 4-Channel Amplifier **MAA4.400** 

#### **Product Highlights:**

2-Ohm Stereo & 4-ohm Bridged Stable Amplifier State-of-the-Art Class-D IC Amplifier Made in Korea Hybrid Aluminum Alloy Heatsink for Heat Dissipation Quick Disconnect 8g Power & 14g Speaker Wire Harness 200mV-6V Low-Level RCA Input Harnesses Included Signal Sensing Turn-On on Hi/Speaker Level Input 2-Channel or 4-Channel Signal Input Selector Switch 12dB/Octave High-Pass, Low-Pass & Band-Pass Crossovers Front: Optional 50-5kHz High-Pass or 50-5kHz Low-Pass

Rear: Optional 10-500Hz High-Pass, and/or 10-5kHz Low-Pass Low Level RCA Output Harness for Daisy Chained Applications 100W X 4Ch (4 $\Omega$ , 14.4V, 1KHz, ≤ 1% THD+N) 150W X 4Ch (2Ω, 14.4V, 1KHz, ≤ 1% THD+N)

Dimensions: 5.375"w x 1.875"h x 9.25"l \*Compatible w/ Amplifier Installation Kits



## Amplifier Installation Kit for Harley-Davidson® **Touring Motorcycles**

HD14.AWK 2014 - 2023 HD13.AWK 1998 - 2013

#### **Product Highlights:**

Brackets for Amp Installation in Road Glide & Street Glide Fairings T-Harness for Plug-n-Play Integration to Stock Wire Harness High Level Input & Speaker Output Connectors for MAA4.400 8g Power & Ground Wire w/ In-line Fuse Holder Included Power & Ground Wire Connector Pre-wired for MAA4.400 Wire Harness Accommodates Installation to Any Amplifier CVO® / Boom Audio® Amplifier By-Pass Plugs Included



# IND.SBS SADDLEBAG SPEAKER INSTALLATION KIT FOR SELECT 2019+ INDIAN® BAGGER, TOURING, & ELITE SERIES MOTORCYCLES





#### **Product Highlights:**

Installation Kit Fits Most Aftermarket 6.5" Speakers into '19-'25 OEM Saddlebag Lids

Cutout Template Aligns to Contours of the OEM Lid as a Guide for Precision Fitment

Gloss Black Powder Coated Metal Grills Mimic Styling of the OEM Option

Gasketed Interior Speaker Adapter Compresses to Contours Under the Lid to Create a Watertight Seal

Speaker Cable to Route to Faring for Amplifier Connection with Waterproof Quick-Disconnects for Easy Saddlebag Removal

Embroidered Soft Hinge Tethers with Crossover Pocket Included



AFTERMARKET COAXIAL SPEAKER FOR USE WITH IND.SBS INDIAN® SADDLEBAG LID KIT FOR BAGGER, TOURING, & ELITE SERIES MOTORCYCLES



### **Product Highlights:**

Manufactured w/ Industrial Grade Materials Optimized for Harsh Environments Glass Fiber Reinforced ABS Frame for Impact Absorption & Thermal Stability External Magnet & Voice Coil Assembly Keeps Heat Outside the Saddlebag Integrated Heatsink Fins Air-Cool the Electro-Mechanical Motor Assembly Impermeable Polypropylene Cone is Mechanically Rugged & Heat Resistant Co-Molded Low-Density Santoprene Surround Chemically Bonded to Cone Titanium Dome Tweeter Resists Corrosion w/ High Strength-to-Density Ratio Low Mass Neodymium Rare Earth Element Magnets for Maximum Output 1.25" Oxygen Free Copper Voice Coil on Thermally Absorbent Aluminum Former 1" Titanium Wide Dispersion High Output Hemispherical Dome Tweeter Non-Amplified Speaker for Custom Aftermarket Installations, Requires Amplifier Integrated 6dB High-Pass Crossover Protects Tweeter From Harmful Frequencies 100w RMS, 92dB SPL, 80-22kHz Frequency Response Mounting Depth: 1.75"

# HEAD UNIT FOR 2018-2024 POLARIS SLINGSHOT W/ WIRELESS APPLE CARPLAY®, WIRELESS ANDROID AUTO®, & 7" LCD TOUCHSCREEN





Trim Plate for 2018-2019 & 2020-2024 Included





Wireless Apple CarPlay® for Apple iPhone with Siri



5V No-Clip RCA Outputs



2Ω Stable 4-Channel Class A/B Amplifier



16Band Equalier & 12dB Crossovers



Wireless Android Auto® for Android w/ Google Assistant



7" Wide QLCD w/ 1000NIT Brightness



IPx5 Optically Bonded Waterproof Faceplate



Wire Harness Included

#### Additional Details:

Upgrade Head Unit For '18-'24 Polaris Slingshot, Exact Fit In OEM Location Uses OEM Mounting Hardware, Trim Panel for '18-'19 & '20-'24 Included Retains Use of OEM USB® & Antenna Connections for 2020-2024 USB® & Radio Antenna Adapters Included for 2018-2019 Retains Use of OEM Rear View Camera, w/ On-Screen Shortcut Plug-N-Play Wire Harness, Steering Wheel Control Module Included IPx5 Water-Resistant Faceplate, Safe for All Weather & Washing 7" Optically Bonded QLCD w/ Capacitive Touch Screen & RGB Keys

Wireless Apple® CarPlay™ w/Siri Eyes Free for Apple iPhone® Wireless Android Auto® w/ Google Assistant for Android® Phones External Microphone Included, w/ Wind Muffler & 2-sided Adhesive Bluetooth® Wireless Connectivity for Audio Playback & Control 16-Band Digital Equalizer w/ Preset & Custom Settings Built-in 4-Channel Amplifier Built-in, Class A/B & 2-Ohm Stable 5-Volt RCA Audio Outputs for Front, Rear, & Subwoofer Amplifiers Active 12dB Crossovers for Front, Rear, & Subwoofer RCA Outputs Low Pass & Subsonic Crossover for Subwoofer RCA Output



© 2025 PrecisionPower Inc., Montebello, CA, U.S.A. All Rights Reserved.

Harley-Davidson® is a registered trademark of the Harley-Davidson Motor Company.

Apple, iPad, iPhone, and iPod Touch are trademarks of Apple, Inc., registered in the U.S. and other countries.

Apple CarPlay is a trademark of Apple Inc.

Android Auto word mark and logos are registered trademarks owned by Google Inc.
SiriusXM and all related marks and logos are trademarks of Sirius XM Radio, Inc. All rights reserved.
The Bluetooth work mark and logos are registered trademarks owned by the Bluetooth Special Interest Group, Inc.
USB word mark and logos are trademark of USB Implementers Forum, Inc. All rights reserved.
Specifications and designs are subject to change without notice. Printed in the U.S.A.