



IN-CAR / MARINE ENTERTAINMENT

POWER

ACOUSTIK



2026

POWERACOUSTIK.COM

APPLE CARPLAY & ANDROID AUTO SOURCE UNITS

CA1-77W - 1-DIN DIGITAL MEDIA CAR STEREO w/ WIRELESS APPLE CARPLAY & ANDROID AUTO, BLUETOOTH CONNECTIVITY, & MOTORIZED 7" LCD

New For
2026



GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Front Faceplate
Wireless Apple CarPlay w/ Siri Eyes Free
Wireless Android Auto w/ Google Assistant
GPS Receiver On-Board for Precise Map Position
HD 7" 1,024 x 600 LCD w/ Adjustable Backlight
4-Position Tilting LCD w/ Last Position Memory
Pinpoint Accuracy Capacitive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth V5.0 Hands Free Wireless Connectivity
Advanced FM/AM Tuner with RDBS Data Display
16-Band 12dB Boost/Cut Equalizer w/ Presets
High Pass & Low Pass Crossover for RCA Outputs
Accepts OEM Steering Wheel Interface Modules
Rear Back-up Camera & Front View Camera Input
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO CONFIGURATIONS

AUX Audio (3.5mm) Input for External Devices on Front Panel
4V 6ch Preamp RCA Outputs; Front + Rear + Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO SOURCE UNITS

CPAA-70D10F - w/ DVD

CPAA-70D10FW - w/ WIRELESS CARPLAY & ANDROID AUTO RECEIVER

2-DIN DVD CAR STEREO w/ APPLE CARPLAY & ANDROID AUTO, BLUETOOTH CONNECTIVITY, & ARTICULATING 10.6" LCD

New For
2026



Includes Wireless CarPlay,
Android Auto USB Interface



GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1,024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Wireless Apple CarPlay & Android Auto (70D10FW only)
Wired Apple CarPlay & Android Auto by USB
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Video & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDBS Data Display
Accepts OEM Steering Wheel Interface Modules
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO SOURCE UNITS

New For
2026

CPAA-70D10M - DIGITAL MEDIA PLAYER

CPAA-70D10MW - w/ WIRELESS CARPLAY & ANDROID AUTO RECEIVER

2-DIN DVD CAR STEREO w/ APPLE CARPLAY & ANDROID AUTO, BLUETOOTH CONNECTIVITY, & ARTICULATING 10.6" LCD



GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1,024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Wireless Apple CarPlay & Android Auto (70D10MW only)
Wired Apple CarPlay & Android Auto by USB
Bluetooth V5.0 Hands Free Wireless Connectivity
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDBS Data Display
Accepts OEM Steering Wheel Interface Modules
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO SOURCE UNITS

CPAA-70MW - 2-DIN DIGITAL MEDIA CAR STEREO w/ **WIRELESS** APPLE CARPLAY & ANDROID AUTO, BLUETOOTH CONNECTIVITY, & 7" LCD



GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
800x480 Resolution WVGA 7" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Wireless Apple CarPlay w/ Siri Eyes Free
Wireless Android Auto w/ Google Assistant
GPS Receiver On-Board for Precise Map Position
Bluetooth V5.0 Hands Free Wireless Connectivity
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts OEM Steering Wheel Interface Modules
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO SOURCE UNITS

CA2-74W - 2-DIN DIGITAL MEDIA CAR STEREO w/ **WIRELESS** APPLE CARPLAY & ANDROID AUTO, BLUETOOTH CONNECTIVITY, 7" LCD

New For 2026



GENERAL INFORMATION

Installation Left/Right Bracket Included
SmartSense Clear Glass Capacitive Touchscreen
RCA Back-up Camera Input w/ +12V Auto-on Trigger
Front Camera RCA Input w/ On-screen Trigger
16 Band selectable Boost/Cut Equalizer & Preset EQs
Advanced FM/AM Tuner with RBDS Data Display

DYNAMIC USER INTERFACE w/ SMARTSENSE TOUCHSCREEN

7" HD Quality 1024x600 Resolution TFT-LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Low Reflection Industrial Grade Glass Top Panel
Large Format User Interface Reduces Distraction

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dial & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Called ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distraction Profile Streams Audio Wirelessly
Built-in Microphone for Mobile Phone Hands-free Calling

USB AUDIO/ VIDEO PLAYBACK

Playback of MP3, & Other Audio Files, Up to 64GB
Playback of 1080 MP4, & Other Video Files, Up to 64GB

AUDIO/ VIDEO CONFIGURATION

Front & Rear RCA Pre-Amp Audio Output
2 ch. Subwoofer RCA Pre-Amp Audio Output
1 ch. Video RCA Output to Rear-Seat Entertainment



CONVERTS WIRED CARPLAY® & ANDROID AUTO® TO WIRELESS

MC-1

Wireless USB Interfacing



MC-2

Wireless USB Interfacing



Converts Wired CarPlay® & Android Auto® to Wireless

MagiCast Converts Wired CarPlay® or Android Auto® To Wireless In Only A Few Seconds
Simply plug MagiCast into your CarPlay® or Android Auto® USB port using one of the included USB cables

Connect MagiCast To Car Stereos Featuring Traditional Wired CarPlay®
Add Wireless Android Auto® and wireless CarPlay® to car stereos that have only wired CarPlay®

Get The Most Out Of CarPlay® & Android Auto® Without The Need For Clunky USB Cables
Connect to Apple CarPlay® or Android Auto® with MagiCast to ditch the USB cable for good!

Seamless Auto-Reconnect Every Time You Jump In The Drivers Seat
Once paired, your iPhone® or Android® phone, will automatically connect to MagiCast for instant access



MagiCast



New For 2026

GPS NAVIGATION SOURCE UNITS

PDN-621HB

2-DIN GPS NAVIGATION DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID, & 6.2" LCD



PDN-621HB GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
6.2" 800x480 WVGA Resolution LCD Display
SmartSense Clear Glass Resistive Touchscreen
Turn-by-Turn GPS Navigation Powered by iGo
PhoneLink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO

USA Map & +17 Million Point-of-Interest Database Included
Map & POI Updates Available from Naviextras.com
Choose Destination by Address, POI, or GPS Location
On-Screen & Audible Text-to-Speech Commands
Highway & Major Road Lane Departure Guidance

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
300w 4ch. High Power MOSFET Speaker Outputs

PD-623B - ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH CONNECTIVITY, & 6.2" LCD

PD-623B GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Resistive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
7-Color RGB LED Illuminated Keys & Accents
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger
8-Band 14dB Boost/Cut Equalizer & Preset EQs

AUDIO/VIDEO CONFIGURATIONS

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
2 RCA Video Outputs to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



PD-620HB - ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER, BLUETOOTH CONNECTIVITY, & 6.2" LCD

PD-620HB GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Resistive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
8-Band 14dB Boost/Cut Equalizer & Preset EQs
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
2 RCA Video Output to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

ANDROID PHONELINK

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (rear)



DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



DVD MULTIMEDIA SOURCE UNITS

PD-710B

ISO 1-DIN DVD, CD/MP3, AM/FM RECEIVER, W/ BLUETOOTH V4.0, & DETACHABLE 7" LCD

GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Restive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
5ch Preamp RCA Outputs; Front + Rear + Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-700HB

2-DIN DIGITAL MEDIA RECEIVER W/ ANDROID PHONELINK, & 7" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 7" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Capactive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
RCA A/V Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



DIGITAL VIDEO SOURCE UNITS

PL-622HB

2-DIN DIGITAL MEDIA RECEIVER W/ BLUETOOTH CONNECTIVITY, ANDROID PHONELINK, & 6.2" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Capactive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
Front Camera RCA Input w/ On-Screen Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from 64GB USB or Micro/TF SD Card
1080p MP4 & WMV Video & MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
AUX A/V (3.5mm) Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



PML-43HB - 1-DIN AUTOMOTIVE ENTERTAINMENT SYSTEM W/ 1080P VIDEO PLAYBACK, BLUETOOTH CONNECTIVITY, & 4.3" LCD



GENERAL INFORMATION

1-DIN Multimedia System w/ 4.3" LCD
ISO 1-Din Chassis, Mounting Brackets Included
HD 4.3" 800x480 LCD w/ Adjustable Backlight
7-Color RGB LED Illuminated Keys & Accents
Bluetooth V4.0 Phone Calling + Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on
Front Camera RCA Input w/ On-Screen Trigger
4-Band 8dB Boost/Cut Equalizer & Preset EQs

BLUETOOTH HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Shows Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)

DIGITAL AUDIO & VIDEO MEDIA PLAYBACK

Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
RCA A/V Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-51B
1-DIN DIGITAL MEDIA PLAYER W/ BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

1-DIN Digital Audio Entertainment System
ISO 1-Din Chassis, Mounting Sleeve Included
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming

DIGITAL MEDIA PLAYBACK

Audio Playback from 64GB USB or Full Size SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-40B
1-DIN DIGITAL MEDIA PLAYER W/ BLUETOOTH CONNECTIVITY & DUAL USB

GENERAL INFORMATION

1-DIN Digital Audio Entertainment System
ISO 1-Din Chassis, Mounting Sleeve Included
Dual USB Inputs for Playback & 2.1A Fast Charge
Audio Playback from 64GB USB or Micro SD Card

DIGITAL MEDIA PLAYBACK

Audio Playback from 64GB USB or Micro SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input on Front Faceplate
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Speaker Amplifier Built-in



**DIGITAL AUDIO
SOURCE UNITS**

HDVD-71CC - w/ 7" LC
HEADREST ENTERTAINMENT SYSTEM W/ DVD PLAYER,
MOBILELINK SMARTPHONE MIRRORING, & LCD DISPLAY

GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
3/8" Dia. Locking Pole w/ 7/16", 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5"w x 7.75"h x 5"d (91CC)
Dimensions: 10"w x 7"h x 5.5"d (71CC)

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video or MP3 & WMA Audio Playback

MOBILELINK INTEGRATION (91CC ONLY)

MobileLink Mirrors the Image of Your Smartphone Or
Tablet To The Headrest Monitor via HDMI Interface Cable
(sold separate).

AUDIO/VIDEO IN'S & OUT'S

185 Channel FM Stereo Transmitter for OEM Integration
Dual Channel Wireless IR Transmitter (use HP-12S)
RCA A/V Input for External Source Display or Opposite Headrest
RCA A/V Output to Auxiliary Display Devices or Slave Headrest
3.5mm AUX Audio Output for Hardwired Headphones



PHD-101
UNIVERSAL HEADREST BRACKET MOUNTED DVD PLAYER W/ MOBILELINK SMARTPHONE
MIRRORING, & 10.1" LCD

GENERAL INFORMATION


Simple DIY Bracket Attaches Directly to Headrest Pole
Installation Requires only the Provided Hex Key Tool
Adjustable Headrest Bracket for Optimum Viewing Angle
10.1" HD Quality 800 x 480 High Resolution TFT-LCD Display
Rear-Loading DVD Player for DVD & 720P Video File Playback
Cigarette Lighter Adapter Power Cable for Easy D.I.Y. Wiring
Bracket Accepts Headrests w/ Dual Pole Distance 4.5"-7.25"
Pole Diameter Adapters Included: 3/8" - 5/8"

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
720p MP4 & WMV Video; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

HDMI Input for MobileLink Smartphone Mirroring
8-Channel FM Stereo Transmitter for OEM Integration
RCA & 3.5mm A/V Input for External Source Input
RCA A/V Output for External Display Devices or Slave
3.5mm AUX Audio Output for Hardwired Headphone Listening



**REAR SEAT
ENTERTAINMENT**

H-91CC - w/ 9" LCD
H-71CC - w/ 7" LCD
HEADREST ENTERTAINMENT SYSTEM W/ LCD DISPLAY

GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
3/8" Dia. Locking Pole w/ 7/16", 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5"w x 7.75"h x 5"d (91CC)
Dimensions: 10"w x 7"h x 5.5"d (71CC)

AUDIO/VIDEO IN'S & OUT'S

Dual Channel Wireless IR Transmitter (use HP-12S)
2 RCA A/V Input for External Source or Master Headrest
3.5mm AUX Audio Output for Hardwired Headphones



REAR SEAT ENTERTAINMENT

HP-11S - SINGLE 1CH. IR HEADPHONE
HP-22IRT - PAIR 1CH. IR HEADPHONES & TRANS

GENERAL INFORMATION

- Ear Pads Fold Flat for Seat Pocket Storage
- Adjustable Headphone Straps
- EVA hard Carry Case Included
- MP3 Player Input Via 3.5mm Jack
- On/Off Switch Saves Battery Life
- Auto Power Off Function
- Auto Mute Function
- Variable Volume Control
- ALC Auto Level Control



HP-12S - SINGLE 2CH. IR HEADPHONE

GENERAL INFORMATION

- Adjustable Headphone Straps
- Channel Selectable From Each Headphone
- Ear Pads Fold Flat for Seat Pocket Storage
- EVA hard Carry Case Included
- MP-3 Player Input Via 3.5mm Jack
- On/Off Switch Saves Battery Life
- Auto Power Off Function
- Auto Mute Function
- Variable Volume Control
- ALC Auto Level Control



HP-902RFT - PAIR 2CH. 900MHZ HEADPHONES & TRANS

GENERAL INFORMATION

- Ear Pads Fold Flat for Seat Pocket Storage
- Channel Selectable From Each Headphone
- Dual Stereo Audio Inputs
- 100ft. Operational Distance
- Adjustable Headphone Straps
- EVA hard Carry Case Included
- MP-3 Player Input Via 3.5mm Jack
- On/Off Switch Saves Battery Life
- Auto Power Off Function
- Auto Mute Function
- Variable Volume Control
- ALC Auto Level Control



Dash Mount Gain Control Included

REAR VIEW CAMERAS

BUC-1 - FLUSH OR SURFACE MOUNT BACK-UP CAMERA
BUC-2 - LICENSE PLATE MOUNT BACK-UP CAMERA

GENERAL INFORMATION

- Advanced 1/4" 720P CMOS Color Camera
- On-screen Color Coded Distance Gauge
- Imaged Reversed to Driver's Orientation
- 0.01 LUX Low Light Sensitivity Improves Poor Visibility
- RCA Output to Connect to Car Stereo or LCD Monitor
- IP65 Waterproof Construction & Cable Connections
- 20ft Installation Cable Included for Any Vehicle Application
- Dedicated Trigger Can Activate Camera When In Reverse Gear
- Surface & Flush Mounting Hardware Included (BUC-1)
- Hole Saw Included For Easy Flush Mount Installation (BUC-1)
- Adjustable Mounting Bracket Fits Behind License Plate (BUC-2)
- 1700 Capture Angle with 648 x 488 Image Resolution



BUC-1



BUC-2

Back-up Cameras Reduce Likelihood of Back-over Incidents by up to 50%!

High Efficiency Class D Full Range & Monoblock Amplifiers
 Compact 3.50" Wide Chassis Design for Installation Versatility
 Hybrid Aluminum Alloy Heatsink for Optimum Dissipation
 2-ohm Stereo & 4-ohm Bridged Class A/B Full Range
 1-ohm Minimum Impedance Class D Monoblock Operation
 MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
 Military Grade SMT PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
 200mV-6V Low Level/RCA Input w/ Bridged Operation Outputs
 4g Power/Ground Terminals & 8g Speaker Output Terminals
 Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
 12dB Bass Boost Increases Low Octave Harmonics
 Dash Mount Gain Control Module Included (monoblocks)

MICRO AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED / 1Ω	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (3.50" x 1.75"H)	GAIN CONTROL INCLUDED
MICRO4-1500D	1,500	2 x 250	4 x 125	4 x 80	6.75"	-
MICRO4-2000D	2,000	2 x 360	4 x 180	4 x 125	7.8"	-
MICRO4-2500D	2,500	2 x 420	4 x 210	4 x 150	9.5"	-
MICRO1-3000D	3,000	1 x 750	1 x 500	-	8"	INCLUDED
MICRO1-4000D	4,000	1 x 1,000	1 x 750	-	9"	INCLUDED

OVERDRIVE

We're in a time where small is "in". Smaller, more economical vehicles are more and more desirable. But that doesn't mean you have to sacrifice big power for your system. Overdrive amplifiers pack huge amounts of power into small chassis thanks to efficient full-range class d topology and smt technology. Complimented with every possible preamp adjustment, overdrive amplifiers leave nothing to be desired...



Dash Mount Gain Control Included



Dash Mount Gain Control Included



High Efficiency Class D Full Range & Monoblock Amplifiers
Hybrid Aluminum Alloy Heatsink for Optimum Dissipation
2-ohm Stereo & 4-ohm Bridged Class A/B Full Range
1-ohm Minimum Impedance Class D Monoblock Operation
MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
Military Grade SMT PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mV-6V Low Level/RCA Input w/ Bridged Operation Outputs
4g Power/Ground Terminals & 8g Speaker Output Terminals
Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
12dB Bass Boost Increases Low Octave Harmonics
Dash Mount Gain Control Module Included (monoblocks)

High Efficiency Class D Full Range & Monoblock Amplifiers
Hybrid Aluminum Alloy Heatsink For Optimum Dissipation
2-Ohm Stereo & 4-Ohm Bridged Class D Full Range
1-Ohm Minimum Impedance Monoblock Operation
Mosfet Power Supply W/ Audiophile Grade IR™ Transistors
Military Grade Smt PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mV-6V Low Level RCA Signal Input + Thru-Pass Output
4G Power Input Terminals & 12G Speaker Output Terminals
Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
12dB Bass Boost Increases Low Octave Harmonics
Dash Mount Gain Control Module Included (Monoblocks)

CA AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED / 1Ω	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (7.00"W x 2.00"H)	GAIN CONTROL INCLUDED
CA2-1000	1,000	1 x 280	2 x 140	2 x 80	7"	-
CA4-1600	1,600	2 x 300	4 x 150	4 x 90	11"	-
CA4-2000	2,000	2 x 360	4 x 180	4 x 110	10"	-
CA1-1500	1,500	-	1 x 350	1 x 200	9"	INCLUDED
CA1-3500D	3,500	1 x 900	1 x 600	-	8.75"	INCLUDED
CA1-5000D	5,000	1 x 1,800	1 x 1,000	-	11.25"	INCLUDED
CA1-8000D	8,000	1 x 2,600	1 x 1,400	-	13.5"	INCLUDED

OVERDRIVE AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (7.25"W x 2.5"H)	GAIN CONTROL INCLUDED
OD2-1000	1,000	1 x 400	2 x 200	2 x 120	10"	-
OD4-1300	1,300	2 x 320	4 x 160	4 x 100	12.25"	-
OD4-1800	1,800	2 x 450	4 x 225	4 x 140	14"	-
OD5-3500	3,500	2 x 440 + 1 x 500	4 x 220 + 1 x 500	4 x 140 + 1 x 300	16.25"	INCLUDED
OD1-1500	1,500	-	1 x 500	1 x 300	10.25"	INCLUDED
OD1-3000	3,000	-	1 x 1,000	1 x 600	13.75"	INCLUDED
OD1-3500D	3,500	1 x 1,300	1 x 800	1 x 500	10"	INCLUDED
OD1-5000D	5,000	1 x 2,000	1 x 1,300	1 x 800	12.5"	INCLUDED
OD1-7500D	7,500	1 x 3,000	1 x 2,000	1 x 1,200	14.75"	INCLUDED

RAZOR

CAR AMPLIFIERS

We're in a time where small is "in". Smaller, more economic vehicles are more and more desirable. But that doesn't mean you have to sacrifice big power for your system. Razor amplifiers pack huge power into small chassis thanks to efficient Full-Range Class D topology and SMT circuitry. Complimented with every possible preamp adjustment, the Razor amplifiers leave nothing to be desired...



Dash Mount Gain Control Included

Installs in Virtually ANY Location!
90% Efficient Full Range Class D Technology



Dash Mount Gain Control Included

High Efficiency Class D Full Range & Monoblock Amplifiers
Compact 4.75" Chassis Design for Installation Versatility
MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
2-ohm Stereo & 4-ohm Bridged Full Range Operation
1-ohm Stable Monoblock Operation for MAX Power (3500D)
Die-Cast Aluminum Alloy Heatsink for Optimum Dissipation
Direct Short, Thermal, & Overload Circuits Protect Amplifier

Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
200mV-6V Low Level RCA Inputs
4g Power Wire & 8g Speaker Wire Outputs
High Level Input w/ Signal Sense Auto Turn-on
12dB Bass Boost Increases Low Octave Harmonics
180° Phase Shift Improves Low Octave Dynamics (monoblock)
Dash Mount Gain Control Module Included (select models)

RAZOR AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (4.75"W x 1.625"H)	GAIN CONTROL INCLUDED
RZ4-1200D	1,200	2 x 300	4 x 150	4 x 100	9"	-
RZ4-2000D	2,000	2 x 500	4 x 250	4 x 190	11"	-
RZ4-3000D	3,000	2 x 750	4 x 375	4 x 285	12.25"	-
RZ5-2500D	2,500	2 x 300 + 1 x 600	4 x 150 + 1 x 600	4 x 100 + 1 x 400	12.25"	INCLUDED
RZ1-1500D	1,500	-	1 x 900	1 x 600	10"	INCLUDED
RZ1-2300D	2,300	-	1 x 1,400	1 x 900	11"	INCLUDED
RZ1-3500D	3,500	1 x 2,100 (1Ω)	1 x 1,400	1 x 900	12.25"	INCLUDED

Vertigo

CAR AMPLIFIERS



Class A/B Full Range & Class D Monoblock Amplifiers
Hybrid Aluminum Alloy Heatsink for Optimum Dissipation
2-ohm Stereo & 4-ohm Bridged Class A/B Full Range
1-ohm Minimum Impedance Class D Monoblock Operation
MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
Military Grade SMT PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mV-6V Low Level/RCA Input w/ Bridged Operation Outputs
Barrier Strip Wire Terminals, 4g Power & 8g Speaker Outputs
Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
12dB Bass Boost Increases Low Octave Harmonics
Dash Mount Gain Control Module Included (monoblocks)

VERTIGO AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (8.75"W x 2"H)	GAIN CONTROL INCLUDED
VA2-1400D	1,400	1 x 400	2 x 200	2 x 120	8.5"	-
VA4-1800D	1,800	2 x 320	4 x 160	4 x 100	11.75"	-
VA4-2200D	2,200	2 x 400	4 x 200	4 x 120	11.75"	-
VA1-1600D	1,600	-	1 x 360	1 x 200	9"	INCLUDED
VA1-4000D	4,000	1 x 1,000 (1Ω)	1 x 600	1 x 350	11.75"	INCLUDED
VA1-6000D	6,000	1 x 1,800 (1Ω)	1 x 1,000	1 x 600	13.5"	INCLUDED
VA1-8000D	8,000	1 x 2,600 (1Ω)	1 x 1,400	1 x 850	15"	INCLUDED
VA1-10000D	10,000	1 x 3,500 (1Ω)	1 x 2,000	1 x 1,200	18.25"	INCLUDED

ACTIVE SUBWOOFER

PUB-8L - POWERED ENCLOSURE w/ 8" SUBWOOFER

PUB-10L - POWERED ENCLOSURE w/ 10" SUBWOOFER

ACTIVE SUBWOOFER ENCLOSURE w/ AMPLIFIER BUILT-IN

Today's active powered subwoofers bring big bass to small spaces that a typical subwoofer wouldn't fit. PUB active subwoofers are made from a die-cast powdercoated aluminum enclosure w/ an integrated grill, protecting the subwoofer & amplifier from unintentional damage. Traditional pre-amp features like low-pass crossover, 45Hz bass boost, and a signal phase switch bring dynamic sound to life. RCA Line-in & speaker-level inputs with signal sensing turn-on provide various options to integrate PUB into your vehicles audio system. A wired remote control is included, allowing volume adjustment from the driver's seat.

LED



Dash Mount Gain Control Included

Powder Coated Diecast Aluminum Enclosure
 RGB LED Lighting Flood the Subwoofer with Light
 600w Class D Monoblock Subwoofer Amplifier (PUB-8L)
 800w Class D Monoblock Subwoofer Amplifier (PUB-10L)
 Variable 50-150Hz 12dB Low Pass Crossover
 Variable 0-12dB Bass Boost Centered at 45Hz
 0-180° Signal Phase Switch for Dynamic Response

High Level Input on Quick Disconnect Harness
 Optional High Level Signal Sense Auto-Turn On
 200m V-6V Stereo Low Level RCA Input
 8g Power/Ground Wire Input Terminal
 Dash-Mount Remote Level Control Included
 9.50" w x 3.375" h x 12.25" L (PUB-8L)
 10.25" w x 3.375" h x 13.50" L (PUB-10L)

ACTIVE SUBWOOFER

USW-80L - POWERED ENCLOSURE w/ 8" SUBWOOFER

ACTIVE SUBWOOFER ENCLOSURE w/ AMPLIFIER BUILT-IN



New For
2026

Dash Mount Gain Control Included

Powder Coated Diecast Aluminum Enclosure
 RGB LED Lighting Flood the Subwoofer with Light
 600w Class D Monoblock Subwoofer Amplifier
 Variable 50-150Hz 12dB Low Pass Crossover
 Variable 0-12dB Bass Boost Centered at 45Hz
 0-180° Signal Phase Switch for Dynamic Response
 High Level Input on Quick Disconnect Harness
 Optional High Level Signal Sense Auto-Turn On
 200m V-6V Stereo Low Level RCA Input
 8g Power/Ground Wire Input Terminal
 Dash-Mount Remote Level Control Included
 9.50" w x 3.375" h x 12.25" L (PUB-8L)
 10.25" w x 3.375" h x 13.50" L (PUB-10L)

LED



EASY DIY INSTALLATION



OEM/SPEAKER LEVEL INPUT



AFTERMARKET RCA INPUT



RGB LED LIGHTING



BASS BOOST & CROSSOVER



REMOTE CONTROL INCLUDED



PowerAcoustik.com

BAMF

CAR SUBWOOFER

BAMF subwoofers are the newest secret weapon for you bass BURP fanatics! These beasts are engineered for the most extreme conditions. Massive 3" 4-layer voice coils built on an aluminum former can take the heat. Freakishly oversized motor structures provide more magnetic inertia than is ever necessary for a woofer. Spruce tree pulp cones, high density extended excursion foam surround, and hybrid suspension dampers work together to contain the momentum to a shattering roar...



Overcompensating Motor Structure for Maximum Magnetic Strength
 12mm T-Yoke & Top Plate Improve Low Frequency Dynamics
 Vented T-Yoke & Frame Reduces Voice Coil Heat Build-up
 Non-Magnetic Non-Resonate Die-Cast Aluminum Frame
 3" 4-Layer Voice Coil w/ Direct Connect Wire Increases Power Handling
 High-Temperature Tolerance Adhesives Resist Thermal Failure

Non-Transfer Spruce Pulp Cone w/ UV & Chemical Protection
 Stitched and Glued Surround/Cone Joints for Strongest Bonding
 Extended Excursion Polyether Foam Surround w/ UV Protection
 Dual Poly-Cotton Suspension Dampen Violent Accelerations
 Stitched Voice Coil Leads Prevent Potential Damage
 1-pc Gasket/Trim Ring w/ Concealed Mounting Holes Included

BAMF SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1w/1m)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
BAMF-124	3,500w	1,750w	84.60dB	3" DUAL 4Ω	272oz.	6.75"	1.00Ft ³	2.00Ft ³
BAMF-122			85.00dB	3" DUAL 2Ω				
BAMF-154	3,800w	1,900w	86.40dB	3" DUAL 4Ω	272oz.	8.00"	2.00Ft ³	4.00Ft ³
BAMF-152			86.10dB	3" DUAL 2Ω				

PRE-ASSEMBLED
 RE-CONE KIT AVAILABLE

EDGE

CAR SPEAKERS

EF-60C 6.5" COMPONENT SYSTEM

500w Max Power Handling
 Improved Efficiency Diaphragm & Magnet Structure
 Carbon Fiber Injection Molded Polypropylene Cone
 Treated Woven Cloth Surround
 1" Voice Coil on Aluminum Former
 4-ohm System Impedance
 Quick Disconnect Terminals
 1" Flush Mount Dome Tweeter
 Passive Crossover Included
 Speaker Grill Included
 Freq-Response: 70-20kHz
 Sensitivity: 93dB
 Mounting Depth: 2.5"



EF-60C



EF-694



EF-653



EF-573

EDGE

SHALLOW SUBWOOFER



EDGE SHALLOW SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1w/1m)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
EW-104S	1,200w	600w	81.30	2.00" 4Ω	60oz.	2.50"	0.75Ft ³	-
EW-124S	1,400w	700w	83.60				1.00Ft ³	-

Improved Efficiency Diaphragm & Magnet Structure
 Carbon Fiber Injection Molded Polypropylene Cone
 Treated Woven Cloth Surround
 1" Voice Coil on Aluminum Former
 4-ohm System Impedance
 Quick Disconnect Terminals
 2" Balanced Dome Mylar Midrange (EF-694)
 1" Balanced Dome Mylar Tweeter
 1/2" Dome Super Tweeter (select models)

EDGE SPEAKERS	SIZE & TYPE	MAX POWER	FREQUENCY RESPONSE	EFFICIENCY (1w/1m dB)	MOUNTING DEPTH
EF-60C	6.5" COMPONENT	500w	65-20kHz	92dB	1.75"
EF-694	6"x9" 4-WAY	800w	45-20kHz	93dB	3.25"
EF-573	5" x 7" 3-WAY	500w	65-20kHz	92dB	1.75"
EF-653	6.5" 3-WAY	400w	65-20kHz	92dB	1.75"

PROAUDIO SPEAKERS



PR-654



PR-804



PR-654C



PR-694C



PR-654T



PR-694T



PRT-30



PR-804C



PR-804T



PRT-32



PRT-36



PRT-34



PRT-38

Pro Audio Speakers	PR-654 (pr.)	PR-804 (pr.)	PR-654T (pr.)	PR-694T (pr.)	PR-804T (pr.)	PR-654C (pr.)	PR-694C (pr.)	PR-804C (pr.)
Speaker Size	6.5"	8"	6.5"	6x9"	8"	6.5"	6x9"	8"
MAX Power Handling	300w	350w	300w	350w	350w	350w	350w	350w
RMS Power Handling	150w	175w	150w	175w	175w	175w	175w	175w
Voice Coil & Diaphragm	1.5" EISV	1.5" EISV	1.5" EISV	1.5" EISV	1.5" EISV	1.5" EISV	1.5" EISV	1.5" EISV
Impedance	4-Ohm	4-Ohm	4-Ohm	4-Ohm	4-Ohm	4-Ohm	4-Ohm	4-Ohm
Frequency Response	100kHz-12kHz	80kHz-12kHz	100kHz-20kHz	80kHz-20kHz	70kHz-20kHz	110kHz-18kHz	80kHz-18kHz	110kHz-18kHz
Efficiency (1w/1m)	93dB	96dB	93dB	95dB	95dB	92dB	94dB	95dB
Mounting Depth	3.00"	3.25"	3.00"	3.50"	3.50"	3.00"	4.00"	3.50"

Sets of 2

Pro Audio Tweeters	PRT-30 (pr.)	PRT-32 (pr.)	PRT-34 (pr.)	PRT-36 (pr.)	PRT-38 (pr.)
Tweeter Size	3.75"	3.5"	4.5"	3.5"	2.25"
MAX Power Handling	120w	200w	350w	200w	200w
RMS Power Handling	60w	100w	175w	100w	100w
Impedance	4-Ohm	4-Ohm	4-Ohm	4-Ohm	4-Ohm
Frequency Response	3kHz-20kHz	3kHz-20kHz	3.5kHz-20kHz	3kHz-20kHz	3kHz-20kHz
Efficiency (1w/1m)	103dB	105dB	108dB	105dB	105dB
Mounting Depth	3.75"	2.25"	2.25"	2.25"	1.75"

Sets of 2

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

COMPONENT TWEETERS

NB-1 2-WAY MOUNT TWEETER 200 WATTS

Niobium Rare Earth Ferroelectric Transducer Magnet
Polypropylene Diaphragm
100 Watts R.M.S.
Freq. Resp. 5kHz to 25kHz
Imp. 4 Ohm
Surface/Angle Mount
SPL 97 dB
Built in Crossover




NB-2 3-WAY MOUNT TWEETER 200 WATTS

Niobium Rare Earth Ferroelectric Transducer Magnet
Polypropylene Diaphragm
100 Watts R.M.S.
Freq. Resp. 5kHz to 25kHz
Imp. 4 Ohm
Surface/Angle Mount/Flush Mount
SPL 97 dB
Built in Crossover



NB-4 4-WAY MOUNT TWEETER 250 WATTS

Niobium Rare Earth Ferroelectric Transducer Magnet
Swivel/Surface/Angle Mount/Flush Mount
Polypropylene Diaphragm
Built in Crossover
Freq. Resp. 5kHz to 25kHz
Imp. 4 Ohm
SPL 97 dB



PROFESSIONAL AUDIO

XPS-104 4" Sealed-back Midrange


300 watts max
.75" Voice Coil
Freq. Resp. 450 Hz. to 10kHz.
15 oz. Magnet
Imp. 4 Ohm
SPL 92 dB
Mounting Depth: 1.75"
Sold Individually



CAPACITORS

PCX-5F 5 Farad Power Capacitor

12-16 DC Volts Operation
Satin Finish w/ Chrome Accents
Terminal Post for Ring Terminal
Polarity & Voltage Protection
Protection Alert Indicator
Digital Voltage Meter
LED Accent Lighting



BASS PROCESSORS

BASS-18C BASS RESTORATION PROCESSOR

For those who want the most out their car audio system, quality sound processing is a must. After some slight adjustments, your system can sound like it has been tuned by audio professionals. BASS-18C's Bass Equalizer offers similar sound processing options. Commonly added in-line before subwoofer amplifiers, Bass Equalizers boost lower frequency harmonics that have been compressed or removed from today's music recordings. Dial-in the exact sound you want by tuning the frequency to boost, then, increase the bandwidth range to boost the harmonics around it. Unlock the best bass from any system with BASS-18C!

- Bass Restoration Processor Adds Impact to Music w/ Insufficient Low Octave Levels
- Variable Frequency Sweep & Variable Center Frequency Q/Width
- Dash Mount Remote Control with Variable Subsonic Filter & Bass Level Adjustment
- 2ch. Stereo Speaker/High Level or Low Level RCA Input
- 10V MAX 2-Ch./Stereo Low Level RCA Output
- LED Audio Clipping Indicators
- Load Matching & Ground Isolation for Diverse Audio Systems
- Turn-on by Remote Input from Aftermarket Head Unit or Audio Signal Sensing
- 12V Turn-on Output for Audio Amplifiers

Additional Specifications
Total Harmonic Distortion: 0.03%
Signal to Noise Ratio: >105 dB
Frequency Response: 10 Hz – 22 kHz ±1 dB

General
Current Draw: 300 mA
Recommended Fuse Rating: 1A
Dimensions: 7.5"L x 5.5"D x 1.25"H



PWM-6BX BASS RESTORATION PROCESSOR

FEATURES:
Multiple inputs
ParaBASS low frequency contouring
Pre-amp gain of 20dB
Wide and Sweep parametric
Bass control
Subwoofer level control
Bass Maximizer effect control
Digital Bass Processor

Specifications
Inputs:
Inputs: 3 (AUX/Low/High)
Input Impedance: 20kΩ/60Ω(High Input)

Outputs:
Preamp Outputs: 3 (6 channels)
Maximum Output Level: 7V RMS/12V Peak
Output Impedance: 150Ω

Performance:
Total Harmonic Distortion: 0.01%
Frequency Response: 20Hz-20kHz
Signal to Noise: 110dB
Equalizer Frequencies: 50Hz, 200Hz, 1KHz, 5KHz, 20KHz
Subsonic Frequencies: 35-80Hz
Equalization Cut/Boost: ±18dB

General:
Power Supply: High Headroom
PWM Switching
Current Draw: 250mA
Recommended Fuse Rating: 1A
Dimensions: 7"W x 5.1"D x 1.2"H



BASS PROCESSORS

BASS-MX

Bass Maximizer

BX Features
 Dash Mount Remote Control
 Bass Restoration Lighted Display
 Parametric Bass Control
 PFM Subsonic Filter
 Balanced Inputs
 Bass Output Control
 PWM High Head Room Power Supply
 Output Level: 13.5 volt
 Frequency Response: 10Hz 100KHz
 THD: 0.003%
 S/N Ratio: 130dB
 Balanced Input Noise Rejection: 60 dB



BASS-12C

Bass Maximizer

Chrome Finish w/ Illuminated Badge
 PWM High Head Room Power Supply
 27-63Hz Parametric Bass Boost
 Variable Bandwidth Adjustment
 Max Output Level: 13.5 volt
 Dash Mount Remote Control
 LED MAX Bass Indicators
 35-80Hz Variable Subsonic Filter
 Balanced RCA Inputs
 Selectable Input Ground Sources
 Selectable Grounding Isolation
 Frequency Response: 10-100kHz
 THD: 0.003%
 S/N Ratio: 130dB



BASS-10C

Bass Maximizer

PWM High Head Room Power Supply
 27-63Hz Parametric Bass Boost
 Variable Bandwidth Adjustment
 Max Output Level: 13.5 volt
 Dash Mount Remote Control
 LED MAX Bass Indicators
 Selectable Subsonic Filter
 Balanced RCA Inputs
 Selectable Input Ground Sources
 Selectable Grounding Isolation
 Frequency Response: 10-100kHz
 THD: 0.003%
 S/N Ratio: 130dB
 Input Noise Rejection: 60 dB



EQ PARAMETRIC EQUALIZERS

PWM-5V

5 Band Parametric Equalizer
 W/ Voltage Level Indicator

Equalization Range: +/- 12 dB
 Frequency Response: 10 Hz-50k Hz +/- 1 dB
 Maximum Output Voltage: 8.5v-9v
 Thd: 0.05%
 Input Sensitivity: 3V
 Gain Range: 20 dB
 Channel Separation Degree: 82 dB/1k Hz
 Input Impedance: 20k ohms
 Out Impedance: 2k ohms
 Power Supply: 11 V-15 V DC Neg. ground
 Size: 17.8 cm X 10.5 cm X 2.54 cm



PWM-20

4-Band 1/2 DIN Equalizer

2 Selectable Balanced Inputs
 Variable Stereo Input Sensitivity
 4 Variable Frequency Bands +/- 18dB Parametric EQ
 Independent Volume & Fader Control
 Independent Subwoofer Output and Level Control
 Variable Subwoofer Low-Pass Crossover
 8V MAX Front, Rear, & Subwoofer Outputs
 Low Noise BI-FET Op-Amp for Minimum Distortion
 20dB Headroom, 30V Bipolar Power Supply
 Blue LED Backlighting
 Quick Disconnect Wire Harness
 S/N Ratio 115dB @1V
 THD:0.05%



PWM-19

4-Band 1/2 DIN Equalizer

2 Selectable Balanced Inputs
 Variable Stereo Input Sensitivity
 4 bands +/- 18dB Parametric Equalizer
 Independent Volume & Fader Control
 Independent Subwoofer Output and Level Control
 Variable Subwoofer Low-Pass Crossover
 7V MAX Front, Rear, & Subwoofer Outputs
 Low Noise BI-FET Op-Amp for Minimum Distortion
 20dB Headroom, 30V Bipolar Power Supply
 Selectable Green/Amber Illumination
 Quick Disconnect Wire Harness
 Under Dash Mounting Hardware Included
 S/N Ratio 110dB @5V
 THD:0.05%



PWM-16

4-Band 1/2 DIN Equalizer

2 Selectable Balanced Inputs & Front Panel AUX Input
 4 bands +/- 18dB Parametric Equalizer
 Independent Volume & Fader Control
 Independent Subwoofer Output and Level Control
 Variable Subwoofer Low-Pass Crossover
 7V MAX Front, Rear, & Subwoofer Outputs
 Blue LED Backlighting
 Quick Disconnect Wire Harness
 S/N Ratio 80dB @5V
 THD:0.05%



MARINE AUDIO

Razor Marine Amplifiers



Compact 4.75" Chassis Design for Installation Versatility
 Splash Resistant Conformal Coated Circuit Boards
 MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
 Military Grade SMT PCB Maintains Dynamic Performance
 2-ohm Stereo & 4-ohm Bridged Full Range Operation
 2-Ohm Stable Class A/B Monoblock Operation
 1-ohm Stable Class D Monoblock Operation
 Direct Short, Thermal, & Overload Circuits Protect Amplifier
 200mv-6V Low Level RCA Inputs
 High Level Input w/ Signal Sense Auto Turn-on
 Variable 12dB High Pass & Low Pass Crossovers
 10-50Hz Variable 12dB Subsonic Crossover Protects Subwoofers
 12dB Bass Boost Increases Low Octave Harmonics (monoblocks)
 Dash Mount Gain Control Module Included (select models)

RAZOR CLASS D	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (4.75"W x 1.625"H)	GAIN CONTROL INCLUDED
MA4-3000D	3,000	2 x 750	4 x 375	4 x 285	12.25"	-
MA5-2500D	2,500	300 x 2 + 600 x 1	150 x 4 + 600 x 1	100 x 4 + 400 x 1	12.25"	INCLUDED
MA1-2300D	2,300	-	1 x 1,400	1 x 900	11"	INCLUDED

MARINE AUDIO

MWT-65BL (RGB LED)
MWT-80BL (RGB LED)

MWT-BL Series 6.5" and 8.0" tower speakers are equipped with an easy swivel bracket that allows you to modify your music's trajectory quickly.



MWT-65BL (RGB LED)

MWT-80BL (RGB LED)

LED

WAKE TOWER SPEAKERS	SIZE & COLOR	MAX POWER	RMS POWER	FREQUENCY RESPONSE	EFFICIENCY (1w/1m dB)	OVERALL SIZE (HxWxL)
MWT-65W	6.5" WHITE	500w	250w	40-20kHz	90dB	8.5" x 8.5" x 9"
MWT-65T	6.5" TITANIUM					
MWT-65BL	6.5" BLACK					
MWT-80W	8" WHITE	750w	375w	30-20kHz	91dB	10" x 10" x 9.5"
MWT-80T	8" TITANIUM					
MWT-80BL	8" BLACK					

Wake Tower Speakers

100% Waterproof Enclosure and Speaker System
 High Density ABS Construction w/ UV Coating
 Steel Reinforced Bracket Fits Most Towers
 Braided Stainless Steel Safety Cable Included
 Stainless Steel Mounting Hardware Included
 Polypropylene Cone and Titanium Tweeter
 Quick Disconnect Compression Terminals
 Meets ROHS and CE Certifications
 4-ohm System Impedance



MWT-65W

MWT-80T



POWER ACOUSTIK

©2026 POWER ACOUSTIK ELECTRONICS
SPECIFICATIONS AND DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
MONTEBELLO, CALIFORNIA, U.S.A. ALL RIGHTS RESERVED.
PRINTED IN U.S.A.

2026

POWERACOUSTIK.COM